

SAFETY DATA SHEET

in accordance with 1907/2006/EC (REACH, as amended by 453/2010/EC) and 29 CFR 1910.1200

Revision date: 20 May 2015 **Initial date of issue:** 10 December 2007 **SDS No.** 423-7

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

783 ACR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Eases assembly and disassembly of metal parts by protecting against galling, self-welding, corrosion, and galvanic attack. Do not use on oxygen systems.

1.3. Details of the supplier of the safety data sheet

Company:

A.W. CHESTERTON COMPANY
860 Salem Street
Groveland, MA 01834-1507, USA
Tel.: +1 978-469-6446 Fax: +1 978-469-6785
(Mon. - Fri. 8:30 - 5:00 PM EST)
SDS requests: www.chesterton.com
E-mail (SDS questions): ProductMSDSs@chesterton.com
E-mail: customer.service@chesterton.com

Supplier:

1.4. Emergency telephone number

24 hours per day, 7 days per week
Call Infotrac: 1-800-535-5053
Outside N. America: +1 352-323-3500 (collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Eye Irrit. 2, H319

2.1.2. Classification according to Directives 1999/45/EC and 1975/324/EEC

This product does not meet the criteria for classification in any danger category according to Directive 1999/45/EC on classification, packaging and labelling of dangerous preparations.

2.1.3. Classification according to WHMIS 1988

D2A: Very toxic materials causing other effects

2.1.4. Australian statement of hazardous nature

Not classified as hazardous according to criteria of Safe Work Australia.

2.1.5. Additional information

For full text of H-statements and R-phrases: see SECTIONS 2.2 and 16.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms:



Signal word:

Warning

Hazard statements:

H319

Causes serious eye irritation.

Precautionary statements: P264 Wash skin thoroughly after handling.
 P280 Wear eye/face protection.
 P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337/313 If eye irritation persists: Get medical advice/attention.

Supplemental information: None

2.3. Other hazards

May cause eye irritation.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hazardous Ingredients ¹	% Wt.	CAS No./ EC No.	REACH Reg. No.	Classification (CLP/GHS)	Classification (67/548/EEC)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	5-10	68584-23-6 271-529-4	NA: Not Available	Eye Irrit. 2, H319	Xi; R36
Sulfonic acids, petroleum, calcium salts	5-10	61789-86-4 263-093-9	NA: Not Available	Eye Irrit. 2, H319	Xi; R36
Calcium dodecylbenzenesulphonate	1-4	26264-06-2 247-557-8	NA: Not Available	Skin Irrit. 2, H315 Eye Dam. 1, H318	Xi; R38-41

Other ingredients:

Baseoil – unspecified*	45-55	64742-65-0, 64741-95-3, 265-169-7, 265-096-0	NA: Not Available	Not classified*	Not classified
Talc	10-20	14807-96-6 238-877-9	NA: Not Available	Not classified*	Not classified
Titanium dioxide	5-10	13463-67-7 236-675-5	01-211948 9379-17	Not classified*	Not classified
Graphite	5-10	7782-42-5 231-955-3	NA: Not Available	Not classified*	Not classified

Indications of danger acc. to 67/548/EEC: Xi: Irritant

For full text of H-statements and R-phrases: see SECTION 16.

*Contains less than 3 % DMSO extract as measured by IP 346.

*Substance with a workplace exposure limit.

¹ Classified according to: * 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F), California Proposition 65
 * 1272/2008/EC, 67/548/EEC, 99/45/EC, REACH
 * WHMIS 2015
 * Safe Work Australia [NOHSC: 1008 (2004)]

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

Skin contact: Wash skin with soap and water. Consult physician if irritation develops.

Eye contact: Flush eyes for at least 15 minutes with large amounts of water. Contact physician if irritation persists.

Ingestion: not applicable

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Prolonged or repeated skin contact may cause skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Carbon Dioxide, dry chemical or foam

5.2. Special hazards arising from the substance or mixture

Dense smoke. Water may cause frothing.

5.3. Advice for firefighters

Cool exposed containers with water. Recommend Firefighters wear self-contained breathing apparatus.

Flammability Classification: –

HAZCHEM Emergency Action Code: 3 **Z****SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

No special requirements.

6.2. Environmental Precautions

Keep out of sewers, streams and waterways.

6.3. Methods and material for containment and cleaning up

Scoop up and transfer to a suitable container for disposal.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

Wash before eating, drinking or smoking.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

7.3. Specific end use(s)

No special precautions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limit values**

Ingredients	OSHA PEL ¹		ACGIH TLV ²		UK WEL ³		AUSTRALIA ES ⁴	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	–	–	–	–	–	–	–	–
Sulfonic acids, petroleum, calcium salts	–	–	–	–	–	–	–	–
Calcium dodecylbenzenesulphonate	–	–	–	–	–	–	–	–
Oil mist, mineral	–	5	–	5	–	–	–	5
Talc	20 mppcf	2	(resp)	2	–	1 (resp)	(resp)	2.5
Titanium dioxide	–	15	–	10	–	10 (inhal)	–	10
Graphite	(total) (resp)	15 5	(resp)	2	–	4 (resp) 10 (inhal)	(resp)	3

¹ United States Occupational Health & Safety Administration permissible exposure limits.² American Conference of Governmental Industrial Hygienists threshold limit values.³ EH40 Workplace exposure limits, Health & Safety Executive⁴ Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].**8.2. Exposure controls****8.2.1. Engineering measures**

No special requirements.

8.2.2. Individual protection measures**Respiratory protection:** Not normally needed.**Protective gloves:** Not normally needed.

Eye and face protection: Safety goggles or glasses.

Other: None

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	semi-solid	Odour	mild petroleum odor
Colour	gray	Odour threshold	not determined
Initial boiling point	not applicable	Vapour pressure @ 20°C	not determined
Melting point	not determined	% Aromatics by weight	0%
% Volatile (by volume)	negligible	pH	not applicable
Flash point	> 190°C (> 374°F)	Relative density	1.33 kg/l
Method	Open Cup	Weight per volume	11.1 lbs/gal.
Viscosity	1-3 million cps @ 25°C	Coefficient (water/oil)	< 1
Autoignition temperature	not determined	Vapour density (air=1)	> 1
Decomposition temperature	not determined	Rate of evaporation (ether=1)	< 1
Upper/lower flammability or explosive limits	not determined	Solubility in water	insoluble
Flammability (solid, gas)	not applicable	Oxidising properties	not determined
Explosive properties	not determined		

9.2. Other information

EPA 24: 0.59 lbs/gal

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

Open flames and red hot surfaces.

10.5. Incompatible materials

Strong oxidizers like liquid Chlorine and concentrated Oxygen.

10.6. Hazardous decomposition products

Aldehydes, Oxides of Sulfur and Nitrogen, Carbon Monoxide, Carbon Dioxide and other toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Primary route of exposure under normal use: Skin and eye contact.

Acute effects: Irritating to eyes.

Substance	Test	Result
Sulfonic acids, petroleum, calcium salts	LD50 oral, rat	> 5000 mg/kg
Calcium dodecylbenzenesulphonate	LD50 dermal, rabbit	> 4199 mg/kg (read-across)
Sulfonic acids, petroleum, calcium salts	LD50 dermal, rabbit	> 4000 mg/kg
Calcium dodecylbenzenesulphonate	Skin irritation, rabbit, 4 h	Irritating (read-across)
Calcium dodecylbenzenesulphonate	Eye irritation, rabbit	Corrosive

Chronic effects: Prolonged or repeated skin contact may cause skin irritation.

Carcinogenicity: The International Agency for Research on Cancer (IARC) has designated inhaled titanium dioxide as possibly carcinogenic to humans (group 2B).

Aspiration hazard: Not classified as an aspiration toxicant.

Other information: None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

Oil products, improperly released to the environment, can cause ground and water pollution.

12.2. Persistence and degradability

Talc, Titanium dioxide, Graphite: inorganic substances; exist in nature. Sulfonic acids, petroleum, calcium salts, Mineral oil: not readily biodegradable. Calcium dodecylbenzenesulphonate: readily biodegradable.

12.3. Bioaccumulative potential

Calcium dodecylbenzenesulphonate: BCF 104, 21 d, Bluegill sunfish.

12.4. Mobility in soil

Semi-solid. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

12.5. Results of PBT and vPvB assessment

Not available

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Incinerate absorbed material with a properly licensed facility. Check local, state and national/federal regulations and comply with the most stringent requirement. This product is classified as a hazardous waste according to 2008/98/EC.

European List of Wastes code: 13 02 05

SECTION 14: TRANSPORT INFORMATION**14.1. UN number**

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE

TDG: NOT APPLICABLE

US DOT: NOT APPLICABLE

14.2. UN proper shipping name

ADR/RID/ADN/IMDG/ICAO: NON-HAZARDOUS, NON REGULATED

TDG: NON-HAZARDOUS, NON REGULATED

US DOT: NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE

TDG: NOT APPLICABLE

US DOT: NOT APPLICABLE

14.4. Packing group

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE

TDG: NOT APPLICABLE

US DOT: NOT APPLICABLE

14.5. Environmental hazards

NOT APPLICABLE

14.6. Special precautions for user

NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT APPLICABLE

14.8. Other information

NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU regulations**

Authorisations under Title VII: Not applicable

Restrictions under Title VIII: None

Other EU regulations: None

15.1.2. National regulations

US EPA SARA TITLE III		Hazardous Materials Identification System (HMIS)									
312 Hazards: Immediate	313 Chemicals: None	4 = Severe Hazard 3 = Serious Hazard 2 = Moderate Hazard 1 = Slight Hazard 0 = Minimal Hazard * = See Section 8	<table border="1"> <tr><td>HEALTH</td><td>1</td></tr> <tr><td>FLAMMABILITY</td><td>1</td></tr> <tr><td>PHYSICAL HAZARD</td><td>1</td></tr> <tr><td>Personal Protection</td><td>*</td></tr> </table>	HEALTH	1	FLAMMABILITY	1	PHYSICAL HAZARD	1	Personal Protection	*
HEALTH	1										
FLAMMABILITY	1										
PHYSICAL HAZARD	1										
Personal Protection	*										

Other national regulations: None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE: Acute Toxicity Estimate
BCF: Bioconcentration Factor
CLP: Classification Labelling Packaging Regulation (1272/2008/EC)
ES: Exposure Standard
GHS: Globally Harmonized System
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods
LC50: Lethal Concentration to 50 % of a test population
LD50: Lethal Dose to 50% of a test population
LOEL: Lowest Observed Effect Level
N/A: Not Applicable
NA: Not Available
NOAEL: No Observed Adverse Effect Level
NOEL: No Observed Effect Level
OECD: Organization for Economic Co-operation and Development
PBT: Persistent, Bioaccumulative and Toxic substance
(Q)SAR: Quantitative Structure-Activity Relationship
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS: Safety Data Sheet
STEL: Short Term Exposure Limit
STOT: Specific Target Organ Toxicity
TDG: Transportation of Dangerous Goods (Canada)
US DOT: United States Department of Transportation
vPvB: very Persistent and very Bioaccumulative substance
WEL: Workplace Exposure Limit
WHMIS: Workplace Hazardous Materials Information System
Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Key literature references and sources for data: Commission de la santé et de la sécurité du travail (CSST)
Chemical Classification and Information Database (CCID)
European Chemicals Agency (ECHA) - Information on Chemicals
Hazardous Substances Information System (HSIS)
National Institute of Technology and Evaluation (NITE)
Swedish Chemicals Agency (KEMI)
U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008:

Classification	Classification procedure
Eye Irrit. 2, H319	Calculation method

Relevant H-statements: H315: Causes skin irritation.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.

Relevant R-phrases: R36: Irritating to eyes
R38: Irritating to skin
R41: Risk of serious damage to eyes

Hazard pictogram names: Exclamation mark

Changes to the SDS in this revision: Sections 2.1, 2.2, 3, 4.2, 8, 11, 12.2, 12.3, 16.

Further information: None

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.