

SAFETY DATA SHEET

in accordance with 1907/2006/EC (REACH, as amended by 453/2010/EC) and 29 CFR 1910.1200

Revision date: 9 March 2015 **Initial date of issue:** 15 March 2007 **SDS No.** 127-15

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

800 GoldEnd® Tape

1.2. Relevant identified uses of the substance or mixture and uses advised against

Solid gap filler. This is a heavy duty non-hardening moldable dry Polytetrafluoroethylene (PTFE) thread sealant and lubricant.

Supplier:

1.3. Details of the supplier of the safety data sheet

Company: A.W. CHESTERTON COMPANY

860 Salem Street

Groveland, MA 01834-1507, USA

Tel.: +1 978-469-6446 Fax: +1 978-469-6785

(Mon. - Fri. 8:30 - 5:00 PM EST) SDS requests: www.chesterton.com

E-mail (SDS questions): ProductMSDSs@chesterton.com

E-mail: customer.service@chesterton.com

1.4. Emergency telephone number

24 hours per day, 7 days per week Call Infotrac: 1-800-535-5053

Outside N. America: +1 352-323-3500 (collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / GHS

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200 and GHS.

2.1.2. Classification according to Directives 1999/45/EC and 1975/324/EEC

This product does not meet the criteria for classification in any danger category according to Directive 1999/45/EC on classification, packaging and labelling of dangerous preparations.

2.1.3. Canadian WHMIS classification

Not controlled

2.1.4. Australian classification

Not classified as hazardous according to criteria of Safe Work Australia.

2.1.5. Additional information

This product is not classified as a "hazardous material" in normal use as defined in: 29 CFR 1910.1200, 1915, 1916, 1917; Massachusetts Right-To-Know Law, Chapter 40, Acts and Resolves of 1983 (M.G.L. O. 111F).

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / GHS

Hazard pictograms: N/A
Signal word: None
Hazard statements: None
Precautionary statements: None
Supplemental information: None

Product: 800 GoldEnd® Tape

Date: 9 March 2015 SDS No. 127-15

2.3. Other hazards

None expected in industrial use. PTFE is nontoxic at ambient temperatures. At temperatures above 260°C (500°F), toxic decomposition products may be emitted. Due to toxic decomposition, avoid smoking when handling PTFE products. Wash hands to avoid transfer to tobacco products.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hazardous Ingredients¹ % Wt. CAS No./ REACH Classification Classification EC No. Reg. No. (CLP/GHS) (67/548/EEC)

None

Indications of danger acc. to 67/548/EEC: Not applicable For full text of H-statements and R-phrases: see SECTION 16.

¹ Classified according to: * 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F), California Proposition 65

1272/2008/EC, 67/548/EEC, 99/45/EC, REACH

* Controlled Products Regulations

* Safe Work Australia [NOHSC: 1008 (2004)]

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: If overcome by decomposition fumes, remove to fresh air. If not breathing, administer artificial respiration.

Contact physician.

Skin contact: Not applicable

Eye contact: Not applicable

Ingestion: Not applicable

4.2. Most important symptoms and effects, both acute and delayed

PTFE is nontoxic at ambient temperatures. However, small quantities of toxic gases may be produced at temperatures above 260°C (500°F), due to decomposition. Inhalation of these decomposition products may cause temporary flu-like symptoms. None

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Use extinguisher appropriate to the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be emitted at temperatures above 260°C (500°F). Product will burn in an atmosphere of > 95% oxygen, when an ignition source is present.

5.3. Advice for firefighters

Recommend Firefighters wear self-contained breathing apparatus to protect against hazardous decomposition products.

Flammability Classification: Not determined HAZCHEM Emergency Action Code: 1 Z

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

No special requirements.

6.3. Methods and material for containment and cleaning up

No special requirements. Nontoxic.

Product: 800 GoldEnd® Tape

SDS No. 127-15

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not smoke when handling PTFE products; wash hands after handling to avoid transfer to tobacco products.

7.2. Conditions for safe storage, including any incompatibilities

Store in cool, dry area.

Date: 9 March 2015

7.3. Specific end use(s)

No special precautions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limit values

Ingredients OSHA PEL 1 ACGIH TLV 2 UK WEL 3 AUSTRALIA ES 4 ppm mg/m 3 ppm mg/m 3 ppm mg/m 3

None

- ¹ United States Occupational Health & Safety Administration permissible exposure limits.
- ² American Conference of Governmental Industrial Hygienists threshold limit values.
- ³ EH40 Workplace exposure limits, Health & Safety Executive
- ⁴ Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

8.2. Exposure controls

8.2.1. Engineering measures

No special requirements. If using under extreme heat, use local exhaust.

8.2.2. Individual protection measures

Respiratory protection: Not required.

Protective gloves: Not normally needed.

Eye and face protection: Not normally needed.

Other: None

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state solid Odour not applicable Colour yellow Odour threshold not determined **Initial boiling point** not applicable Vapour pressure @ 20°C not applicable **Melting point** 342°C (648°F) not applicable % Aromatics by weight % Volatile (by volume) not applicable not applicable pН Flash point not applicable Relative density Specific gravity: 1.3 Method None Weight per volume not applicable not applicable Coefficient (water/oil) not applicable Viscosity Vapour density (air=1) **Autoignition temperature** not applicable not applicable **Decomposition temperature** not determined Rate of evaporation (ether=1) not applicable Upper/lower flammability or not applicable Solubility in water insoluble

explosive limits

Flammability (solid, gas) not applicable Oxidising properties not applicable

Explosive properties not applicable

Product: 800 GoldEnd® Tape

Date: 9 March 2015 SDS No. 127-15

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

Extreme heat above 260°C (500°F).

10.5. Incompatible materials

Fluorine, Chlorine Trifluoride and related compounds and molten alkali metals.

10.6. Hazardous decomposition products

Carbon Monoxide, Carbon Dioxide, trace amounts of Hydrogen fluoride, Perfluorocarbon olefins, and other toxic fumes may be evolved above 260°C (500°F).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Primary route of exposure Inhalation (PTFE decomposition fumes) and skin contact.

under normal use:

Acute effects: PTFE is nontoxic at ambient temperatures. However, small quantities of toxic gases may be produced at

temperatures above 260°C (500°F), due to decomposition. Inhalation of these decomposition products may

cause temporary flu-like symptoms.

Chronic effects: None

Carcinogenicity: As per 29 CFR 1910.1200 (Hazard Communication), this product contains no carcinogens as listed by the

National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the

Occupational Safety and Health Administration (OSHA) or Regulation (EC) No 1272/2008.

Aspiration hazard: Not applicable **Other information:** None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

Nontoxic, inert material.

12.2. Persistence and degradability

Material is chemically unreactive and nonbiodegradable.

12.3. Bioaccumulative potential

Not determined

12.4. Mobility in soil

Solid. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

12.5. Results of PBT and vPvB assessment

Not available

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Material may be stabilized and solidified prior to disposal. Check local, state and national/federal regulations and comply with the most stringent requirement. This product is not classified as a hazardous waste according to 2008/98/EC.

Product: 800 GoldEnd® Tape

Date: 9 March 2015 SDS No. 127-15

European List of Wastes code: 07 02 13

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.2. UN proper shipping name

ADR/RID/ADN/IMDG/ICAO:
TDG:
NON-HAZARDOUS, NON REGULATED
NON-HAZARDOUS, NON REGULATED
NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.4. Packing group

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.5. Environmental hazards

NOT APPLICABLE

14.6. Special precautions for user

NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT APPLICABLE

14.8. Other information

NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations

Authorisations under Title Not applicable

VII:

Restrictions under Title None

VIII:

Other EU regulations: None 15.1.2. National regulations

US EPA SARA TITLE III Hazardous Materials Identification System (HMIS)

313 Chemicals: 4 = Severe Hazard 312 Hazards: HEALTH 0 3 = Serious Hazard None None **FLAMMABILITY** 0 2 = Moderate Hazard 1 = Slight Hazard PHYSICAL HAZARD 1 0 = Minimal Hazard **Personal Protection** * = See Section 8

Other national None regulations:

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Product: 800 GoldEnd® Tape

SDS No. 127-15

SECTION 16: OTHER INFORMATION

Date: 9 March 2015

Abbreviations ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE: Acute Toxicity Estimate BCF: Bioconcentration Factor

CLP: Classification Labelling Packaging Regulation (1272/2008/EC)

ES: Exposure Standard

GHS: Globally Harmonized System

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration to 50 % of a test population

LD50: Lethal Dose to 50% of a test population

LOEL: Lowest Observed Effect Level

N/A: Not Applicable NA: Not Available

NOAEL: No Observed Adverse Effect Level

NOEL: No Observed Effect Level

PBT: Persistent, Bioaccumulative and Toxic substance (Q)SAR: Quantitative Structure-Activity Relationship

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit STOT: Specific Target Organ Toxicity

TDG: Transportation of Dangerous Goods (Canada) US DOT: United States Department of Transportation vPvB: very Persistent and very Bioaccumulative substance

WEL: Workplace Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Key literature references Commission de la santé et de la sécurité du travail (CSST) **and sources for data:** European chemical Substances Information System (ESIS)

European Chemicals Agency (ECHA) - Information on Chemicals

Hazardous Substances Data Bank (HSDB)

Hazardous Substances Information System (HSIS)

Swedish Chemicals Agency (KEMI)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008:

Classification	Classification procedure
Not applicable	Not applicable

Relevant H-statements: None
Relevant R-phrases: None
Hazard pictogram names: None

Changes to the SDS in this revision: Sections 2.1, 2.2, 5.3, 9.1, 11, 16.

Further information: None

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.