

HEPA & ULPA Filters

AstroCel® III

Product Overview


- Ideal for demanding operating conditions in critical applications
- Longer service life — 436 square feet of media — means fewer changeouts
- Low energy consumption and lower operating costs
- High-capacity operation with minimal resistance to airflow
- Chemical-resistant anodized aluminum frame provides superior strength
- One-piece polyurethane gasket seal and gel seal designs available



Specifications

Efficiency	HEPA
Filter Depth	12"
Media Type	Fiberglass
Frame Material	Aluminum
Special Size Available	No
Antimicrobial Available	No
Single Header	No
Separator Style	Sticky String
Max Operating Temperature	200°F (93°C)
Air Filter Certification	UL 900

Initial Resistance vs. Airflow Capacity



Based on 24" x 24" x 11½" gasket seal filter

Product Information

Part Number	Actual Size Inches (W x H x D)	Rated SCFM @ 1.0" w.g.	Std. Pkg. Qty.	Shipping Wt. Lbs. per Box (± 7%)	Cubic Ft.
Gasket Seal Filters					
3015302-001	24 x 24 x 11½	2,400	1	42.0	4.5
3015302-002	24 x 12 x 11½	1,125	1	30.0	2.8
3015302-003	23¾ x 23¾ x 11½	2,270	1	41.0	5.0
3015302-004	23¾ x 11¾ x 11½	1,065	1	29.0	2.7
Gel Seal Filters, without Extractor Clips					
3047388-005	24 x 24 x 11½	2,220	1	42.0	5.3
3047388-006	24 x 12 x 11½	1,025	1	30.0	2.8
3047388-007	23¾ x 23¾ x 11½	2,170	1	41.0	5.0
3047388-008	23¾ x 11¾ x 11½	1,020	1	29.0	2.7
Gel Seal Filters, with Extractor Clips					
3047388-001	24 x 24 x 11½	2,220	1	42.0	5.3
3047388-002	24 x 12 x 11½	1,025	1	30.0	2.8
3047388-003	23¾ x 23¾ x 11½	2,170	1	41.0	5.0
3047388-004	23¾ x 11¾ x 11½	1,020	1	29.0	2.7

Additional sizes available upon request.

AstroCel® is a registered trademark of AAF International in the U.S. and other countries.

AAF has a policy of continuous product research and improvement and reserves the right to change design and specifications without notice.

www.aafintl.com

