




ROLL CRUSHER VWR 350 X 1800



ROLL CRUSHER

VWR 350 X 1800

Designed to grind brittle to hard products to a narrow particle size distribution with minimal dust content the Series 350 of one- two- and three-stage roller mills offer

- high throughput
- narrow particle size distribution with minimal dust content
- minimal mechanical impact and temperature rise of product
- efficient energy initialisation
- low space requirement
- high durability of rolls
- easy access to all machine components
- easy roll exchange, low maintenance efforts

Model Range

- Single frame machine stand
 - VWR 350 – two stage
- Modular machine stand
 - ZWR 350.1 – one stage
 - VWR 350.1 – two stage
 - SWR 350.1 – three stage
- Roll Dimensions
 - Ø: 350 mm
 - Length: 1.800 mm

Options

- automatic roll gap adjustment and gap monitoring
- stainless steel for product touching parts
- aspiration connections
- temperature monitored roll bearings
- automatic roll bearing lubrication
- vibration monitoring
- potential compensation against static charges
- product specific roll materials and corrugations
- water cooled rolls

Features

- roll feeder
- manual gap adjustment system
- optimal roll protection against foreign particles included in the feed-stock
- dust-tight grinding chamber
- sampling sockets in each passage
- drive power: 35 kW / passage

HDM-USA | Bauermeister, USA

5100 Poplar Ave | Suite 607 | Memphis, TN 38137 | USA

P +1 901 363 0921 **F** +1 901 794 9679

info.hdm-usa@h-d-m.com | www.BauermeisterUSA.com

