# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** No-Tox Food Grade Chain Lubricant

**Product Code** 61760

Other means of identification

No-Tox Chain Lubricant 550 **Synonyms** 

Not available. Recommended use **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Bel-Ray Company, LLC

P.O. Box 526

Farmingdale, NJ 07727 United States of America

+1 732 938 2421

CHEMTREC: 800-424-9300 (USA)

CHEMTREC: +1 703-527-3887 (outside USA - call collect)

NSF Food-grade lubricant. NSF H1 Registered Number 126364.

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, oral Category 4 **Environmental hazards** Hazardous to the aquatic environment, acute Category 3

Hazardous to the aquatic environment,

Category 3

long-term hazard **OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. Signal word None.

**Hazard statement** Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

**Precautionary statement** 

Prevention Avoid release to the environment. Response Wash hands after handling.

**Storage** Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	<u></u> %
White Mineral Oil (petroleum)		8042-47-5	90 - 100
Butylhydroxytoluene		128-37-0	< 1
Other components below report	able levels		5 - < 10

Material name: No-Tox Food Grade Chain Lubricant SDS US \*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content Ingestion

doesn't get into the lungs. Never give liquid to an unconscious person.

Most important

symptoms/effects, acute and

delayed

Irritation of eyes and mucous membranes. Skin irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

# 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing

must be worn in case of fire.

Fire fighting

equipment/instructions Specific methods

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Use standard firefighting procedures and consider the hazards of other involved materials.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

# 7. Handling and storage

Precautions for safe handling

Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: No-Tox Food Grade Chain Lubricant 61760 Version #: 3.0 Revision date: 05-12-2016 Print date: 05-13-2016

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
White Mineral Oil (petroleum) (CAS	PEL	5 mg/m3	Mist.	
8042-47-5)				

**US. ACGIH Threshold Limit Values** 

Components	Туре	Value	Form
Butylhydroxytoluene (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.
White Mineral Oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.

Components	emicai Hazards Type	Value	Form	
Butylhydroxytoluene (CAS 128-37-0)	TWA	10 mg/m3		
White Mineral Oil (petroleum) (CAS 8042-47-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

Oily. Liquid. **Appearance** Physical state Liquid. **Form** Liquid. Color Pale yellow Odor Mild.

Not available. **Odor threshold** Not available. Melting point/freezing point Not available.

Initial boiling point and

boiling range

Flash point

680 °F (360 °C) estimated

370.4 °F (188.0 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not available.

Material name: No-Tox Food Grade Chain Lubricant 61760 Version #: 3.0 Revision date: 05-12-2016 Print date: 05-13-2016 Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

CVA

Not available.

(%)

Explosive limit - upper

(%)

Not available.

Vapor pressure 0.00001 hPa estimated

Density857.00 kg/m³Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Negligible
Solubility (other) Oil

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** 500 °F (260 °C) estimated

**Decomposition temperature** Not available.

Viscosity 110 cSt ASTM D445 Viscosity temperature 104 °F (40 °C)

Other information

Flammability class Combustible IIIB estimated

Flash point class Combustible IIIB

Percent volatile 2.01 % estimated

Specific gravity 0.86

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the

physical, chemical and

toxicological characteristics

Irritation of eyes and mucous membranes. Skin irritation.

## Information on toxicological effects

**Acute toxicity** Respiratory tract irritation.

61760 Version #: 3.0 Revision date: 05-12-2016 Print date: 05-13-2016

**Product Species Test Results** 

No-Tox Food Grade Chain Lubricant

**Acute** Oral

LD50 15000 g/kg estimated Mouse

> Rabbit 15000 g/kg estimated

**Test Results** Components **Species** 

Butylhydroxytoluene (CAS 128-37-0)

<u>Acute</u> Oral

LD50 Guinea pig 10700 mg/kg

> Mouse 1040 mg/kg Rat 890 mg/kg

Based on available data, the classification criteria are not met. Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization

Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0) 3 Not classifiable as to carcinogenicity to humans. MINERAL OILS, HIGHLY-REFINED (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ

toxicity - repeated

exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**Product** Species **Test Results** 

No-Tox Food Grade Chain Lubricant

Aquatic

Crustacea EC50 Daphnia 480 mg/l, 48 hours estimated

Components **Test Results Species** 

Butylhydroxytoluene (CAS 128-37-0)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 1.44 mg/l, 48 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

61760 Version #: 3.0 Revision date: 05-12-2016 Print date: 05-13-2016

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and

its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

## 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act Not regulated.

(SDWA)

**US** state regulations

US. Massachusetts RTK - Substance List

Butylhydroxytoluene (CAS 128-37-0)

White Mineral Oil (petroleum) (CAS 8042-47-5)

US. New Jersey Worker and Community Right-to-Know Act

Butylhydroxytoluene (CAS 128-37-0)

**US. Pennsylvania Worker and Community Right-to-Know Law** 

Butylhydroxytoluene (CAS 128-37-0)

White Mineral Oil (petroleum) (CAS 8042-47-5)

Material name: No-Tox Food Grade Chain Lubricant

### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 10-15-2015

 Revision date
 05-13-2016

 Version #
 3.0

Disclaimer

Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision information** Identification: NSF

Identification: NSF Label Symbol

Composition / Information on Ingredients: Disclosure Overrides

Physical and chemical properties: Appearance Physical and chemical properties: Color Physical and chemical properties: Odor Regulatory Information: United States HazReg Data: International Inventories

**GHS:** Classification

61760 Version #: 3.0 Revision date: 05-12-2016 Print date: 05-13-2016